

**SPRAYING SYSTEMS CO.'S  
TRADEMARK USAGE**

The following is a current list of Spraying Systems Co.'s trademarks registered in the United States. Some marks are registered in other countries as well.

AccuCoat®	QuickMist®
AirJet®	SpiralJet®
AutoJet®	SprayDry®
FloMax®	TankJet®
FullJet®	UniJet®
GunJet®	VeeJet®
MiniFogger®	WhirlJet®
PanelSpray®	WindJet®
PulsaJet®	

**REGISTERED TRADEMARK CREDITS**

The following trademarks are registered to other entities in the US and may be registered in other countries as well.

AMPCO®	Lucite®
ANSI®	Monel®
ASME®	NEMA®
ASTM®	Peek™
Carpenter®	Refrax®
Celcon®	Ryton®
Cupro®	Stellite®
Hastelloy®	Viton®
Inconel®	
Kel-F®	
Kynar®	

Spraying Systems Co. reserves the right to make changes in specifications or design of the products shown in the catalog or to add improvements at anytime without notice or obligation.

**HOW TO ORDER**

For your convenience, there are multiple ways to place an order: phone, fax and online

**In North America**

Phone: 1.800.95.SPRAY | Fax: 1.888.95.SPRAY

**Outside North America**

Phone: 1.630.665.5000 | Fax: 1.630.260.0842

Online ordering with a credit card is also available. Visit [spray.com/ispray](http://spray.com/ispray). You'll find helpful selection tools and a Live Chat option for immediate assistance.



**(1) MODIFICATION OF TERMS**

Seller's acceptance of any order is expressly subject to Buyer's assent to each and all of the terms and conditions set forth below and Buyer's assent to these terms and conditions shall be conclusively presumed from Buyer's receipt of this document without prompt written objection thereto or from Buyer's acceptance of all or any part of goods ordered. No addition to or modification of said terms and conditions shall be binding upon Seller unless specifically agreed to by Seller in writing. If Buyer's purchase order or other correspondence contains terms or conditions contrary to or in addition to the terms and conditions set forth below, acceptance of any order by Seller shall not be construed as assent to such contrary or additional terms and conditions or constitute a waiver by Seller of any of the terms and conditions.

**(2) PRICE**

Unless otherwise specified: (a) all prices, quotations, shipments and deliveries by Seller are (i) EXW (Incoterms® 2010) if shipped to the Buyer within the United States, and (2) in all other circumstances DAP Buyer's location (Incoterms® 2010); (b) all base prices together with related extras and deductions, are subject to Seller's price in effect at the time of shipment; and (c) notwithstanding the use of the shipping term DAP and without any effect on the point at which the risk of loss shifts from Seller to Buyer, all transportation, import costs and other related charges are for the account of Buyer, including all increases or decreases in such charges prior to shipment. Payment of said price shall be due at the remittance address shown on the Seller's invoice upon receipt of Seller's invoice unless otherwise specified. Interest will be charged at a rate of 1 to 1-1/2% per month on all balances outstanding more than 30 days after the date of the invoice. Price includes Seller's standard packaging. Special packaging requirements shall be quoted at an additional price.

**(3) UNIFORM COMMERCIAL CODE**

THIS IS A CONTRACT FOR THE SALE OF GOODS. SELLER AND BUYER EXPRESSLY AGREE THAT ANY SERVICES PROVIDED PURSUANT TO THIS CONTRACT ARE MERELY INCIDENTAL TO THE SALE OF GOODS, AND AS SUCH, SHALL BE DEEMED GOODS UNDER ARTICLE 2 OF THE UNIFORM COMMERCIAL CODE. SELLER AND BUYER FURTHER AGREE THAT ANY DISPUTES ARISING FROM THIS CONTRACT SHALL BE GOVERNED BY ARTICLE 2 OF THE UNIFORM COMMERCIAL CODE.

**(4) MINIMUM BILLING**

Contact your regional office representative for any minimum order requirements.

**(5) WARRANTIES**

Seller warrants that its products will conform to and perform in accordance with the products' specifications. Seller warrants that the products do not infringe upon any copyright, patent, or trademark. THE FOREGOING WARRANTIES ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THOSE CONCERNING MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

**(6) LIMITATION OF REMEDIES**

Buyer's remedies under this warranty shall be limited to the replacement, repair, or refund of the purchase price for any defective product at the Seller's option. Products claimed to be defective and for which repair or replacement is desired shall be, if requested by the Seller, returned transportation prepaid to Seller's plant for inspection. Results of ordinary wear and tear, improper operation, or maintenance or use of corrosive or abrasive materials shall not be considered a defect in material or workmanship. Any component part manufactured by another is not covered by Seller's warranty, but only by such warranty as its manufacturer gives. Because of the difficulty of asserting and measuring damages hereunder, it is agreed that, except for claims for bodily injury, Seller's liability to the Buyer or any third party, for any losses or damages, whether direct or otherwise, arising out of the purchase of product from Seller by Buyer shall not exceed the total amount billed and billable to the Buyer for the product hereunder. IN NO EVENT WILL SELLER BE LIABLE FOR ANY LOSS OF PROFITS OR OTHER SPECIAL OR CONSEQUENTIAL DAMAGES, EVEN IF SELLER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

**(7) QUALITY ASSURANCE**

Seller shall have no obligation to ensure that any goods purchased from Seller meet any special Buyer quality assurance specifications and/or other special Buyer requirements unless such specifications and/or other requirements are specifically set forth in Buyer's purchase order and expressly accepted by Seller. In the event that any such goods supplied by Seller in connection therewith, are applied to an end use without the appropriate specification and/or other requirement therefore having been set forth in Buyer's purchase order and expressly accepted by Seller, Buyer shall indemnify and hold Seller harmless against any and all damages or claims for damages made by any person for any injury, fatal or nonfatal, to any person or for any damage to the property of any person incident to or arising out of such application.

**(8) PRODUCT DISPOSAL & SUSTAINABILITY**

Buyer is responsible for the disposal of goods supplied by seller in accordance with all applicable laws, regulations, and responsible recycling and/or sustainability practices.

**(9) CLAIMS**

Claims respecting the condition of goods, compliance with specifications or any other matter affecting goods shipped to Buyer must be made promptly and, unless otherwise agreed to in writing by Seller, in no event later than one (1) year after receipt of the goods by Buyer. In no event shall any goods be returned, reworked or scrapped by Buyer without the express written authorization of Seller.

**(10) DEFAULT IN PAYMENT**

If Buyer fails to make payments on any contract between Buyer and Seller in accordance with Seller's terms, Seller, in addition to any other remedies available to it, may at its option, (i) defer further shipments until such payments are made and satisfactory credit arrangements are reestablished or (ii) cancel the unshipped balance of any order.

**(11) TECHNICAL ASSISTANCE**

Unless otherwise expressly stated by Seller, (a) any technical advice provided by Seller with respect to the use of goods furnished to Buyer shall be without charge; (b) Buyer shall have sole responsibility for selection and specification of the goods appropriate for the end use of such goods.

**(12) SAFETY PRECAUTIONS**

Buyer shall require its employees to use all safety devices, and proper safe operation procedures as set forth in manuals and instruction sheets furnished by Seller. Buyer shall not remove or modify any such device or warning sign. It is the Buyer's responsibility to provide all means that may be necessary to effectively protect all employees from serious bodily injury which otherwise may result from the method of particular use, operation, set up or service of the goods. The operator's or machine manual, ANSI safety standards, OSHA regulations and other sources should be consulted. If Buyer fails to comply with provisions of this paragraph or the applicable standards and regulations aforementioned, and a person is injured as a result thereof, Buyer agrees to indemnify and save Seller harmless from any liability or obligation incurred by Seller.

**(13) CANCELLATION**

Orders for goods specifically manufactured for Buyer cannot be canceled or modified by Buyer, and releases cannot be held up by Buyer, after such goods are in process except with the express written consent of Seller and subject to conditions then to be agreed upon which shall include, without limitation, protection of Seller against all loss.

**(14) PATENTS**

The Seller shall not be liable for any costs or damages incurred by the Buyer as a result of any suit or proceeding brought against Buyer so far as based on claims (a) that use of any product, or any part thereof furnished hereunder, in combination with products not supplied by the Seller or (b) that a manufacturing or other process utilizing any product, or any part thereof furnished hereunder, constitute knowing and willful infringement of patents or trademarks arising from compliance with Buyer's designs or specifications or instructions.

**(15) COMPLETE AGREEMENT**

THIS CONTRACT SETS FORTH THE ENTIRE AGREEMENT AND UNDERSTANDING OF THE PARTIES RELATING TO THE SUBJECT MATTER HEREOF, AND SUPERSEDES ALL PRIOR AGREEMENTS, DISCUSSIONS AND UNDERSTANDINGS BETWEEN THEM WHETHER ORAL OR WRITTEN, RELATING TO THE SUBJECT MATTER HEREOF.

**(16) GOVERNING LAW**

All orders are accepted by Seller at its mailing address in Wheaton, Illinois, and shall be governed by and interpreted in accordance with the laws of the State of Illinois. The United Nations Convention on Contracts for the International Sale of Goods of April 11, 1980 shall be excluded.

**(17) FORCE MAJEURE**

Neither party shall be in default of its obligations to the other party for any period of Force Majeure. "Force Majeure" shall mean any delay or failure of a party to perform its obligations to the other party due to causes beyond its control and without its fault or negligence. This shall include, without limitation, Acts of God, strike, civil commotion, acts of government, and any other comparable, non-foreseeable, and a serious event.

**(18) CONFIDENTIAL INFORMATION**

Buyer shall maintain Confidential Information in confidence using the same care as used for its own Confidential Information. Buyer shall not disclose or divulge any Confidential Information received by it from Seller in connection with any products or services supplied by Seller to Buyer or to a third party without prior written consent of Seller, and Buyer may not use any Confidential Information for any purpose other than for the manufacture, sale and maintenance of Buyer's products. For the purposes hereof, "Confidential Information" includes any and all information and data, including, but not limited to, any business, commercial, intellectual property, technical information and data disclosed by Seller to Buyer in connection with the sale of Seller's products to Buyer, or relating to Seller's business relationship or the definition, development, marketing, selling, manufacture or distribution of Seller's products, whether disclosed orally, in writing or electronically, and irrespective of the medium in which such information or data is embedded, whether in tangible form or contained in an intangible storage medium. Confidential Information shall include any copies or abstracts made thereof, as well as any product, apparatus, modules, samples, prototypes or parts thereof.

**(19) FAIR PRACTICES**

Spraying Systems Co. considers for employment and hire qualified candidates without regard to race, religion, color, sex, sexual orientation, gender, gender identity, age, national origin, ancestry, citizenship, protected veteran or disability status or any factor prohibited by law, and as such affirms in policy and practice to support and promote the concept of equal employment opportunity and affirmative action, in accordance with all applicable federal, state, provincial and municipal laws.



## ACCESSORIES

### Air Line Filters

11438 Air Line Filter . . . . . G9

### Ball Valve

AA(B)343M-PP . . . . . G16

AA(B)344M-PP . . . . . G16

AA(B)346M-PP . . . . . G16

### Extensions

17180 . . . . . G18

17185 . . . . . G18

18096 . . . . . G18

6123 . . . . . G18

### Liquid & Air Pressure Regulators

11438 Air Pressure Regulator . . . . . G12

11438 Liquid Pressure Regulator . . . . . G12

### Liquid Pressure Gauges

26383 Liquid Pressure Gauge . . . . . G11

26385 Liquid Pressure Gauge . . . . . G11

### Liquid Strainers

16106 . . . . . G4

9830 . . . . . G4

AA122 . . . . . G4

AA124/AA430 . . . . . G5

TWD . . . . . G4

### Mounting Kits

28945-001-316SS . . . . . G21

28945-002-SS . . . . . G21

28945-003-316SS . . . . . G21

### Other Accessories

22140 Pressure Tank Assembly . . . . . G23

39273 Level Switches . . . . . G24

39275 Level Switches . . . . . G24

45600 Float Box . . . . . G23

45604 Float Valve . . . . . G23

50580 Adjustable Siphon Injectors . . . . . G25

### Pipe Assembly

2335-SE Spray Pipe Assembly . . . . . G21

### Pipe Hanger

2202 Pipe Hanger . . . . . G22

### Plug Valves

23220 Plug Valves . . . . . G17

### Solenoid Valves

2-Way Solenoid Valve . . . . . G14

3-Way Solenoid Valve . . . . . G14

### Split-Eyelet Connectors

15475 Split-Eyelet Connector . . . . . G19

38180 Split-Eyelet Swivel Union . . . . . G19

8370 Split-Eyelet Connector . . . . . G19

### Wall Mount Adapters

CP31158-002-SS . . . . . G22

CP31158-003-SS . . . . . G22

Wall mount adapters for 1/8J and 1/4J nozzles . . . . . G22

Wall mount adapters for VAA, VAU, VMAU Nozzles . . . . . G22

## AIR ATOMIZING NOZZLES

### High Efficiency, High Flow Spray Nozzle Series

FloMax® A Series . . . . . C14

FloMax X Series . . . . . C14

### J and JJ Series

1/8-2JAC . . . . . C7

1/8J Series . . . . . C5, C6

1/8JAC . . . . . C7

1/8JACN . . . . . C7

1/8JBC . . . . . C7

1/8JCO . . . . . C7

1/8JJ Series . . . . . C5, C8

1/8JJCO . . . . . C8

1/8JJN . . . . . C8

1/8JN . . . . . C7

1/4-2J . . . . . C7

1/4J Series . . . . . C5, C6

1/4JAC . . . . . C7

1/4JACN . . . . . C7

1/4JBC . . . . . C7

1/4JBCJ . . . . . C7

1/4JCO . . . . . C7

1/4JF . . . . . C7

1/4JN . . . . . C7

1/2-2J . . . . . C9

1/2J Series . . . . . C5, C9

1/2JBC . . . . . C9

1/2JBCJ . . . . . C9

1/2JCO . . . . . C9

1/2JN . . . . . C9

1J Series . . . . . C5, C10

1JN . . . . . C10

11005-1/8J and 11005-1/4J . . . . . C7

20470 . . . . . C7

6552-1/8JAC . . . . . C7

8650 . . . . . C7

### QuickMist® Series Nozzles

1/4QMJ and 1/4QMJML . . . . . C11

### Variable Spray Nozzle Series

1/8VAA Series . . . . . C12, C13

1/8VAACO . . . . . C13

1/8VAAN . . . . . C13

1/8VAANCO . . . . . C13

## AUTOMATIC NOZZLES

### Air-Actuated Air Atomizing Nozzles

1/8JJAU Series . . . . . B15, B17

1/8JJAU . . . . . B15, B17

1/8JJAU MCO . . . . . B17

1/8VAU . . . . . B15

1/4JAU Series . . . . . B15, B16

1/4JAU . . . . . B16

1/4JAUCO . . . . . B16

1/4JAUMCO . . . . . B16

1/4JAUPM . . . . . B16

1/4JAUPMCO . . . . . B16

1/4VMAU . . . . . B15

10535-1/4J . . . . . B15, B18

10536-1/2J . . . . . B15, B18

10537-1J . . . . . B15, B18

10880-1/4JAU . . . . . B16

13242-1/4JAU . . . . . B16



14675-1/8JJAU ..... B17  
 14700-1/8JJAU ..... B17  
 16860-1/8JJAU ..... B17  
 16883-1/8JJAU ..... B17  
 17366-1/4JAU ..... B16  
 17690-1/8JJAU ..... B17  
 19330-1/4JAUPM ..... B16  
 38499-1/8JJAU ..... B17  
 49660-1/8JJAU ..... B17  
 6083-1/4JAU ..... B16  
 6218-1/4JAU ..... B16  
 7310-1/4JAU ..... B16  
 72100 ..... B15, B18  
 D55500-JAU ..... B15, B18  
 D55500-JAUCO ..... B15, B18  
 VAU/VMAU Variable Spray ..... B15, B18

**Air-Actuated Hydraulic Nozzles**

1/4JAUH ..... B12, B13  
 1/8JJAUH ..... B12, B13  
 AA22AUH ..... B12, B13  
 AA22AUH-7676 ..... B12, B13  
 AA22AUH-SS-11024 ..... B12, B14  
 AA22AUH-SS-14799 ..... B12, B14  
 AA24AUA ..... B12, B14  
 AA24AUA-20190 ..... B12, B14  
 AA24AUA-8395 ..... B12, B14  
 AA24AUA-8980 ..... B12, B14  
 D55500-JAUH1 ..... B12, B13  
 D55500-JAUH0 ..... B12, B13

**Electrically-Actuated Air Atomizing Nozzles**

AA10000JAU-10 ..... B10, B11  
 AA10000JJAU ..... B10, B11  
 AA28JJAU-49815 ..... B10, B11  
 AA29JAUCO ..... B10, B11

**Electrically-Actuated Hydraulic Nozzles**

AA10000AUH-0050 ..... B7, B8  
 AA10000AUH-03 ..... B7  
 AA10000AUH-03-Z1 ..... B7  
 AA10000AUH-10 ..... B7, B8  
 AA10000AUH-104210 ..... B7, B8  
 AA10000AUH-104214 ..... B7, B8  
 AA10000AUH-104215 ..... B7, B8  
 AA10000AUH-72440-1/4 ..... B7, B8

AA250AUH ..... B9  
 AA26AUH ..... B9  
 AA26AUH-24200-2-1/2 ..... B9

**FOGGING & HUMIDIFICATION**

**AirJet® Fogger Nozzles**

23412 AirJet Fogger ..... E4, E6  
 QJ25655 AirJet Fogger ..... E4, E6

**DripSafe™ AirJet Fogger Nozzles**

45265 AirJet Fogger ..... E4, E5  
 45269 AirJet Fogger ..... E4, E5

**Other Fogging and Humidification Options**

1/4JH Nozzle ..... E4, E8  
 1/4JT Nozzle ..... E4, E8  
 45400 Humidification Unit ..... E8  
 55089 Humidistat ..... E8

**YMF MiniFogger® III**

Spray Set-ups ..... E4, E7

**SPRAY MANIFOLDS**

46440 Block Manifold ..... F4, F5  
 53500 Modular Manifold ..... F4, F5  
 54000 Modular Manifold ..... F4, F5  
 54500 Modular Manifold ..... F4, F5  
 58400/58800 Compact ..... F4, F5  
 63600 Sanitary Manifold ..... F4, F6  
 72070 Heated Air Atomizing Manifold ..... F4, F6  
 98250 Manifold ..... F4, F6

**SPRAY PERFORMANCE DATA**

**Air Atomizing Set-Up Compatibility**

Compatibility Charts ..... D62

**Air Atomizing Spray Set-ups for 1/8J, 1/4J, 1/4JAU, PulsaJet (JAU), AA29JAUCO, 10535 & D55500-JAU Series Nozzles**

Pressure Spray Set-ups  
 External Mix - Flat Tips ..... D20, D28  
 Internal Mix - 360° Circular Tips ..... D20, D25  
 Internal Mix - Deflected Flat Tips ..... D20, D27  
 Internal Mix - Flat Tips ..... D20, D26  
 Internal Mix - Round Tips ..... D20, D22  
 Internal Mix - Wide Angle Round Tips .. D20, D24

Siphon/Gravity Spray Set-ups

External Mix - Flat Tips ..... D20, D30  
 External Mix - Round Tips ..... D20, D31  
 External Mix - Wide Angle Round Tips ..... D20, D32

**Air Atomizing Spray Set-ups for 1/8JJ, 1/8JJAU, PulsaJet® (JJAU) & AA28JJAU Series Nozzles**

Pressure Spray Set-ups  
 External Mix - Flat Tips ..... D20, D37  
 Internal Mix - 360° Circular Tips ..... D20, D34  
 Internal Mix - Flat Tips ..... D20, D36  
 Internal Mix - Round Tips ..... D20, D33  
 Internal Mix - Wide Angle Round Tips .. D20, D35

Siphon/Gravity Spray Set-ups

External Mix - Flat Tips ..... D20, D40  
 External Mix - Round Tips ..... D20, D39

**Air Atomizing Spray Set-ups for 1/2J & 10536 Series Nozzles**

Pressure Spray Set-ups  
 External Mix - Flat Tips ..... D20, D44  
 Internal Mix - Flat Tips ..... D20, D41  
 Internal Mix - Round Tips ..... D20, D43  
 Internal Mix - Wide Angle Round Tips .. D20, D42

**Air Atomizing Spray Set-ups for 1J & 10537 Series Nozzles**

Pressure Spray Set-Ups  
 External Mix - Flat Tips ..... D20, D48  
 Internal Mix - Flat Tips ..... D20, D47  
 Internal Mix - Round Tips ..... D20, D46  
 Internal Mix - Wide Angle Round Tips .. D20, D45



Siphon/Gravity Spray Set-ups  
 External Mix - Round Tips . . . . . D20, D49

**Air Atomizing Spray Set-ups for QuickMist® Spray Series Nozzles**

Pressure Spray Set-ups  
 Internal - Flat Tips . . . . . D20, D52  
 Internal - Round Tips . . . . . D20, D50  
 Internal - Wide Angle Round Tips . . . . . D20, D51

Siphon/Gravity Spray Set-ups  
 Internal Mix - Flat Tips . . . . . D20, D54  
 Internal Mix - Round Tips . . . . . D20, D53

**Air Atomizing Spray Set-ups for VAU & VAA Variable Spray Series Nozzles**

Pressure Spray Set-ups  
 External Mix - Variable Tips . . . . . D20, D58

**Air Atomizing Spray Set-ups for VMAU Variable Spray Series Nozzles**

Pressure Spray Set-ups  
 External Mix - Variable Tips . . . . . D20, D55

**Numbering System for Air Caps and Fluid Caps**

Air Caps Pressure Set-Ups (External Mix) . . . D61  
 Fluid Cap For use with all Set-ups . . . . . D61  
 Internal Mix Pressure Set-ups . . . . . D60  
 Siphon/Gravity Feed Set-Ups (External Mix) . . . . . D61

**UniJet TPU Hydraulic Spray Tips for JAUH, JJAUH, AA22AUH, AA24AUA, AA26AUH, D55500-JAUH nozzles**

UniJet TG Hydraulic Full Cone Tips . . . . . D4, D17  
 UniJet TG-W Hydraulic Full Cone Tips . . . . . D4, D17  
 UniJet TN Hydraulic Hollow Cone Tips . . . . . D4, D18  
 UniJet TN-SSTC Hydraulic Hollow Cone Tips . . . . . D4, D19  
 UniJet TP-TC Hydraulic Flat Tips . . . . . D4, D13  
 UniJet TX Hydraulic Hollow Cone Tips . . . . . D4, D18

**UniJet TPU Hydraulic Spray Tips for PulsaJet 104210, 104214, 104215**

UniJet PWMD Premium Hydraulic Flat Spray tips . . . . . D4, D12

**UniJet TPU Hydraulic Spray Tips for PulsaJet 0050 nozzles**

UniJet PWMM Premium Hydraulic Flat Spray tips . . . . . D4, D12

**UniJet TPU Hydraulic Spray Tips for PulsaJet® Series\*, JAUH, JJAUH, AA22AUH, AA24AUA, AA26AUH, D55500-JAUH Series (except for 104210, 104214, 104215 and 0050)**

UniJet TPU Hydraulic Flat Tips . . . . . D4, D6

1/4JAU . . . . . B16  
 1/4JAUCO . . . . . B16  
 1/4JAUH . . . . . B12, B13  
 1/4JAUMCO . . . . . B16  
 1/4JAUPM . . . . . B16  
 1/4JAUPMCO . . . . . B16  
 1/4JBC . . . . . C7  
 1/4JBCJ . . . . . C7  
 1/4JCO . . . . . C7  
 1/4JF . . . . . C7  
 1/4JH . . . . . E4, E8  
 1/4JN . . . . . C7  
 1/4JT . . . . . E4, E8  
 1/4QMJ . . . . . C11  
 1/4QMJML . . . . . C11  
 1/4VMAU . . . . . B15  
 1/2-2J . . . . . C9  
 1/2J Series . . . . . C5, C9  
 1/2JBC . . . . . C9  
 1/2JBCJ . . . . . C9  
 1/2JCO . . . . . C9  
 1/2JN . . . . . C9  
 1J Series . . . . . C5, C10  
 1JN . . . . . C10  
 10535-1/4J . . . . . B15, B18  
 10536-1/2J . . . . . B15, B18  
 10537-1J . . . . . B15, B18  
 10880-1/4JAU . . . . . B16  
 11005-1/8J . . . . . C7  
 11005-1/4J . . . . . C7  
 11438 Air Line Filter . . . . . G9  
 11438 Pressure Regulators . . . . . G12  
 13242-1/4JAU . . . . . B16  
 14675-1/8JAU . . . . . B17  
 14700-1/8JAU . . . . . B17  
 15475 Split-Eyelet Connector . . . . . G19  
 16106 Liquid Strainer . . . . . G4  
 16860-1/8JAU . . . . . B17  
 16883-1/8JAU . . . . . B17  
 17180 Extension . . . . . G18  
 17185 Extension . . . . . G18  
 17366-1/4JAU . . . . . B16  
 17690-1/8JAU . . . . . B17  
 18096 Extension . . . . . G18  
 19330-1/4JAUPM . . . . . B16

**PART NUMBER – NUMERICAL**

**1**

1/8-2JAC . . . . . C7  
 1/8J Series . . . . . C5, C6  
 1/8J . . . . . C5, C6  
 1/8JAC . . . . . C7  
 1/8JACN . . . . . C7  
 1/8JBC . . . . . C7  
 1/8JCO . . . . . C7  
 1/8JJ Series . . . . . C5, C8  
 1/8JJAU Series . . . . . B15, B17  
 1/8JJAUH . . . . . B12, B13  
 1/8JJAU MCO . . . . . B17  
 1/8JJCO . . . . . C8  
 1/8JJN . . . . . C8  
 1/8JN . . . . . C7  
 1/8VAA Series . . . . . C12, C13  
 1/8VAACO . . . . . C13  
 1/8VAAN . . . . . C13  
 1/8VAANCO . . . . . C13  
 1/8VAU . . . . . B15  
 1/4-2J . . . . . C7  
 1/4J Series . . . . . C5, C6  
 1/4J . . . . . C5, C6  
 1/4JAC . . . . . C7  
 1/4JACN . . . . . C7  
 1/4JAU Series . . . . . B15, B16



**2**

2202 Pipe Hanger . . . . . G22

20470 Spray Gun . . . . . C7

22140 Pressure Tank Assembly . . . . . G23

23220 Plug Valves . . . . . G17

2335-SE Spray Pipe Assembly . . . . . G21

23412 AirJet Fogger . . . . . E4, E6

26383 Liquid Pressure Gauge . . . . . G11

26385 Liquid Pressure Gauge . . . . . G11

28945-001-316SS . . . . . G21

28945-002-SS . . . . . G21

28945-003-316SS . . . . . G21

2-Way Solenoid Valve . . . . . G14

**3**

38180 Split-Eyelet Swivel Union . . . . . G19

38499-1/8JJAU . . . . . B17

39273 Level Switches . . . . . G24

39275 Level Switches . . . . . G24

3-Way Solenoid Valve . . . . . G14

**4**

45265 AirJet Fogger . . . . . E4, E5

45269 AirJet Fogger . . . . . E4, E5

45400 Humidification Unit . . . . . E8

45600 Float Box . . . . . G23

45604 Float Valve . . . . . G23

46440 Block Manifold . . . . . F4, F5

49660-1/8JJAU . . . . . B17

**5**

50580 Adjustable Siphon Injectors . . . . . G25

53500 Modular Manifold . . . . . F4, F5

54000 Modular Manifold . . . . . F4, F5

54500 Modular Manifold . . . . . F4, F5

55089 Humidistat . . . . . E8

58400/58800 Compact . . . . . F4, F5

**6**

6123 Extension . . . . . G18

6083-1/4JAU . . . . . B16

6218-1/4JAU . . . . . B16

63600 Sanitary Manifold . . . . . F4, F6

6552-1/8JAC . . . . . C7

**7**

72070 Heated Air Atomizing Manifold . . . . . F4, F6

72100 . . . . . B15, B18

7310-1/4JAU . . . . . B16

**8**

8370 Split-Eyelet Connector . . . . . G19

8650 . . . . . C7

**9**

98250 Manifold . . . . . F4, F6

9830 . . . . . G4

**PART NUMBER – ALPHABETICAL**

**A**

AA(B)343M-PP . . . . . G16

AA(B)344M-PP . . . . . G16

AA(B)346M-PP . . . . . G16

AA10000AUH-0050 . . . . . B7, B8

AA10000AUH-03 . . . . . B7

AA10000AUH-03-Z1 . . . . . B7

AA10000AUH-10 . . . . . B7, B8

AA10000AUH-104210 . . . . . B7, B8

AA10000AUH-104214 . . . . . B7, B8

AA10000AUH-104215 . . . . . B7, B8

AA10000AUH-72440-1/4 . . . . . B7, B8

AA10000JAU-10 . . . . . B10, B11

AA10000JJAU . . . . . B10, B11

AA122 . . . . . G4

AA124/AA430 . . . . . G5

AA22AUH . . . . . B12, B13

AA22AUH-7676 . . . . . B12, B13

AA22AUH-SS-11024 . . . . . B12, B14

AA22AUH-SS-14799 . . . . . B12, B14

AA24AUA . . . . . B12, B14

AA24AUA-20190 . . . . . B12, B14

AA24AUA-8395 . . . . . B12, B14

AA24AUA-8980 . . . . . B12, B14

AA250AUH . . . . . B9

AA26AUH . . . . . B9

AA26AUH-24200-2-1/2 . . . . . B9

AA28JJAU-49815 . . . . . B10, B11

AA29JAUACO . . . . . B10, B11

**C**

CP31158-002-SS Wall Mount Adapter . . . . . G22

CP31158-003-SS Wall Mount Adapters . . . . . G22

**D**

D55500-JAU . . . . . B15, B18

D55500-JAUACO . . . . . B15, B18

D55500-JAUH1 . . . . . B12, B13

D55500-JAUHO . . . . . B12, B13

**Q**

QJ25655 AirJet Fogger . . . . . E4, E6

QuickMist® Series Nozzles . . . . . D50

**P**

PWMD Premium Hydraulic . . . . . D12

PWMM Premium Hydraulic . . . . . D12

**T**

TG Hydraulic Full Cone Tips . . . . . D17

TG-W Hydraulic Full Cone Tips . . . . . D17

TN Hydraulic Hollow Cone Tips . . . . . D18

TN-SSTC Hydraulic Hollow Cone Tips . . . . . D19

TP-TC Hydraulic flat Spray Tips . . . . . D13

TPU Hydraulic Flat Spray Tips . . . . . D6

TWD Liquid Strainer . . . . . G4

TX Hydraulic Hollow Cone Tips . . . . . D18

**V**

VAU/VMAU Variable Spray Tips . . . . . B15, B18

**Y**

YMF MiniFogger® III . . . . . E4, E7



